BLEFA Beverage Systems BLEFA GmbH Hüttenstraße 43 57223 Kreuztal, Germany

Tel.: +49 2732 777-0 Fax: +49 2732 777-292 info@blefa.com www.blefa.com





BLEFA - THE KEG.

MADE IN GERMANY

STAINLESS STEEL KEG

The established keg

Stainless steel kegs from BLEFA offer a maximum of safety and reliability during all aspects of use in the market and brewery.

VARIATIONS AREAS OF APPLICATIONS

DIN / EURO, SLIM, US Kegs Beer, Wine, Soft Drinks, Cider, Mixed Drinks

FEATURES

- Various volumes from 10l to 59.62l
- 100% taste neutrality and UV protection
- Full stainless steel (1.4301)
- Individual branding according to your brand requirements
- Integrated burst disc (standard)

BLEFA KEGS - MADE IN GERMANY

Highest quality: ISO certified 9001:2008

Hygiene: Utilization of high-quality stainless steel for all components that come in contact

with contents (Standard 1.4301 / AISI 304; Special 1.4571 / AISI 316)

Focus on safety: All kegs are equipped with a safety burst disc



Colour band

INDIVIDUAL DECORATION



Embossing



Laser inscription



Silk screen



Electrochemical etching

DIN / EURO Kegs







CAPACITY (L/GAL)	Ø D (MM/IN)	H1 (MM/IN)	WEIGHT (KG/LB)	STACKABLE	EMBOSSING	SILK SCREEN	ETCHING	LASER 2-D BARCODE AND NO.
20 / 5.28	395 / 15.551	283 / 11.142	9.2 / 20.28					
25 / 6.61	395 / 15.551	325 / 12.795	9.5 / 20.94					
30 / 7.93	395 / 15.551	365 / 14.37	9.9 / 21.83					
50 / 13.21	395 / 15.551	532 / 20.945	11.8 / 26.01					
15 / 3.96	363 / 14.291	255 / 10.039	7.9 / 17.42					
20 / 5.28	363 / 14.291	300 / 11.811	8.5 / 18.84					
25 / 6.61	363 / 14.291	355 / 13.976	8.9 / 19.62					
30 / 7.93	363 / 14.291	400 / 15.748	9.2 / 20.06					
50 / 13.21	363 / 14.291	600 / 23.622	11.4 / 25.13					
	20/5.28 25/6.61 30/7.93 50/13.21 15/3.96 20/5.28 25/6.61 30/7.93	20/5.28 395/15.551 25/6.61 395/15.551 30/7.93 395/15.551 50/13.21 395/15.551 15/3.96 363/14.291 20/5.28 363/14.291 25/6.61 363/14.291 30/7.93 363/14.291	20/5.28 395/15.551 283/11.142 25/6.61 395/15.551 325/12.795 30/7.93 395/15.551 365/14.37 50/13.21 395/15.551 532/20.945 15/3.96 363/14.291 255/10.039 20/5.28 363/14.291 300/11.811 25/6.61 363/14.291 355/13.976 30/7.93 363/14.291 400/15.748	20/5.28 395/15.551 283/11.142 9.2/20.28 25/6.61 395/15.551 325/12.795 9.5/20.94 30/7.93 395/15.551 365/14.37 9.9/21.83 50/13.21 395/15.551 532/20.945 11.8/26.01 15/3.96 363/14.291 255/10.039 7.9/17.42 20/5.28 363/14.291 300/11.811 8.5/18.84 25/6.61 363/14.291 355/13.976 8.9/19.62 30/7.93 363/14.291 400/15.748 9.2/20.06	20/5.28 395/15.551 283/11.142 9.2/20.28 25/6.61 395/15.551 325/12.795 9.5/20.94 30/7.93 395/15.551 365/14.37 9.9/21.83 50/13.21 395/15.551 532/20.945 11.8/26.01 15/3.96 363/14.291 255/10.039 7.9/17.42 20/5.28 363/14.291 300/11.811 8.5/18.84 25/6.61 363/14.291 355/13.976 8.9/19.62 30/7.93 363/14.291 400/15.748 9.2/20.06	20/5.28 395/15.551 283/11.142 9.2/20.28 25/6.61 395/15.551 325/12.795 9.5/20.94 30/7.93 395/15.551 365/14.37 9.9/21.83 50/13.21 395/15.551 532/20.945 11.8/26.01 15/3.96 363/14.291 255/10.039 7.9/17.42 20/5.28 363/14.291 300/11.811 8.5/18.84 25/6.61 363/14.291 355/13.976 8.9/19.62 30/7.93 363/14.291 400/15.748 9.2/20.06	20/5.28 395/15.551 283/11.142 9.2/20.28 25/6.61 395/15.551 325/12.795 9.5/20.94 30/7.93 395/15.551 365/14.37 9.9/21.83 50/13.21 395/15.551 532/20.945 11.8/26.01 15/3.96 363/14.291 255/10.039 7.9/17.42 20/5.28 363/14.291 300/11.811 8.5/18.84 25/6.61 363/14.291 355/13.976 8.9/19.62 30/7.93 363/14.291 400/15.748 9.2/20.06	20/5.28 395/15.551 283/11.142 9.2/20.28 25/6.61 395/15.551 325/12.795 9.5/20.94 30/7.93 395/15.551 365/14.37 9.9/21.83 50/13.21 395/15.551 532/20.945 11.8/26.01 15/3.96 363/14.291 255/10.039 7.9/17.42 20/5.28 363/14.291 300/11.811 8.5/18.84 25/6.61 363/14.291 355/13.976 8.9/19.62 30/7.93 363/14.291 400/15.748 9.2/20.06



TYPE	CAPACITY (L/GAL)	Ø D (MM/IN)	H1 (MM/IN)	WEIGHT (KG/LB)	STACKABLE	EMBOSSING	SILK SCREEN	ETCHING	LASER 2-D BARCODE AND NO.
1/6 barrel	19.8 / 5.25	235 / 9.252	590.5 / 23.248	6 / 13.23					
1/4 barrel	29.72 / 7.87	278 / 10.945	590.5 / 23.248	7.9 / 17.42					
1/4 barrel	29.72 / 7.87	395 / 15.551	343.5 / 13.524	10.4 / 22.93					
1/2 barrel	59.62 / 15.75	395 / 15.551	590.5 / 23.248	14 / 30.86					



TYPE	CAPACITY (L/GAL)	Ø D (MM/IN)	H1 (MM/IN)	WEIGHT (KG/LB)	STACKABLE	EMBOSSING	SILK SCREEN	ETCHING	LASER 2-D BARCODE AND NO.
SLIM Keg (235)	10 / 2.64	235 / 9.252	318 / 12.52	3.9 / 8.6					
	15 / 3.96	235 / 9.252	453 / 17.835	4.9 / 10.8					
	20 / 5.28	235 / 9.252	570 / 22.441	5.7 / 12.57					
SLIM Keg (278)	10 / 2.64	278 / 10.945	276 / 10.866	4.7 / 10.36					
	15 / 3.96	278 / 10.945	365 / 14.37	5.5 / 12.13					
	20 / 5.28	278 / 10.945	450 / 17.717	6.7 / 14.77					
	25 / 6.61	278 / 10.945	532 / 20.945	6.5 / 14.33					
	30 / 7.93	278 / 10.945	600 / 23.622	7.1 / 15.65					